### **AlphaChem Exterior Water Seal**



Version: 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name AlphaChem Exterior Water Seal

Product Code MXW/BULK

Unique Formula Identifier (UFI) 4DG0-S0CN-T00H-776C

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s)

The product is intended for professional use. Solvent based waterproofing

treatment for porous exterior surfaces, brickwork and concrete

Uses advised against Anything other than the above.

1.3 Details of the supplier of the safety data sheet

Company Identification Cromar Building Products Limited

Units 1,3,4,5 Northside Industrial Park,

Selby Road Whitley Bridge North Yorkshire DN14 0GH United Kingdom 01977 663133

01977 663133

Telephone 01977 663133
E-mail (competent person) sales@cromar.uk.com

1.4 Emergency telephone number

Emergency Phone No.

National Poisons Information Servce (United Kingdom) +44 (0) 3448 920111

NHS 24 111 Language(s) spoken: English Office hours (08:30 - 17:00) 24 hr. emergency phone number Healthcare Professionals ONLY

Members of Public

## SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 The retained CLP Regulation (EU) No 1272/2008, as

amended for Great Britain

Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336 STOT RE 1; H372 Aquatic Chronic 2; H411

2.2 Label elements The retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain

Product name AlphaChem Exterior Water Seal

Hazard Pictogram(s)









Signal Word(s) DANGER

Hazard Statement(s) H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H336: May cause drowsiness or dizziness.

H372: Causes damage to organs through prolonged or repeated exposure.

## AlphaChem Exterior Water Seal



Version: 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331: Do NOT induce vomiting.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P391: Collect spillage.

Supplemental information EUH066: Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards None Known

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

#### 3.2 Mixtures

Classification: The retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain

Chemical identity of the	%W/W	CAS No.	EC No.	UK-REACH	Hazard classification
substance				Registration No.	
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	>90	64742-82-1	919-446-0	01-2119458049- 33-0000	Flam. Liq. 3; H226 STOT SE 3; H336 STOT RE 1; H372 Asp. Tox. 1; H304 Aquatic Chronic 2; H411

For full text of H phrases see section 16.

#### SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Self-protection of the first aider

Use personal protective equipment as required. Wear appropriate personal

protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing vapours. Avoid all contact. Contaminated clothing should be laundered

before reuse.

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call

a POISON CENTER/doctor if you feel unwell. IF exposed or concerned: Get

medical advice/attention.

Skin contact IF ON SKIN: Remove contaminated clothing and wash all affected areas with

plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical

advice/attention.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Make victim drink plenty of water. Do not give anything by mouth to an unconscious person. Call a POISON

CENTER/doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute

and delayed

Ingestion

May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure.

### AlphaChem Exterior Water Seal



Version: 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS Sì 2019/758

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Notes to a physician: IF SWALLOWED: Material may be aspirated into the lungs and cause chemical

pneumonitis

IF INHALED: Respiratory symptoms, including pulmonary edema, may be

delayed.

### SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical,

foam or waterspray and sand.

Unsuitable extinguishing media

Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or mixture

Flammable liquid and vapour. May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide, organic and inorganic compounds.

5.3 Advice for firefighters Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying

with water if exposed to fire. Avoid run off to waterways and sewers.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Stop leak if safe to do so. Eliminate all ignition sources if safe to do so. Use non-sparking tools. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protective equipment as required. Do not breathe vapour. See Section:

6.2 **Environmental precautions**  Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be

alerted to the Environment Agency or other appropriate regulatory body.

6.3 Methods and material for containment and cleaning

6.4

Eliminate sources of ignition. Use non-sparking equipment when picking up flammable spill. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Ventilate the area and wash spill

site after material pick-up is complete. Dispose of this material and its container as hazardous waste

Reference to other sections See Section: 8, 13

### SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin. Ensure operatives are trained to minimise exposures. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid all contact. Do not breathe vapour. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. May form explosive peroxides. Take precautionary measures against static discharges. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any

incompatibilities

Ground/bond container and receiving equipment. Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from direct sunlight.

storage temperature Ambient temperatures. Incompatible materials Strong acids, strong bases.

7.3 Specific end use(s) See Section: 1.2.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Page: 3 of 8

### AlphaChem Exterior Water Seal



Version: 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS Sì 2019/758

8.1.1 Occupational exposure limits Not established

8.1.2 Biological limit value Not established

8.1.3 **PNECs and DNELs** Not established

8.2 **Exposure controls** 

8.2.1 Appropriate engineering controls Ensure adequate ventilation. Atmospheric levels should be controlled in

compliance with the occupational exposure limit. A washing facility/water for eye and skin cleaning purposes should be present. Ground and bond container and

receiving equipment. Use non-sparking tools.

8.2.2 Individual protection measures, such as personal

protective equipment

General hygiene measures for the handling of chemicals are applicable. Keep good industrial hygiene. Avoid all contact. Avoid breathing vapours. Wash hands before breaks and after work. Keep work clothes separately. Do not eat, drink or

smoke at the work place.

Eye/ face protection Wear protective eye glasses for protection against liquid splashes. Wear eye

protection with side protection (EN166).

Skin protection

Hand protection:

Wear impervious gloves (EN374). Protective index 6, corresponding > 480 minutes of permeation time according to EN 374 Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

#### **Body protection:**

Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection In case of inadequate ventilation wear respiratory protection. A suitable mask with



filter type A (EN141 or EN405) may be appropriate.

Thermal hazards Not applicable

8.2.3 **Environmental exposure controls** Avoid release to the environment. Do not allow to enter drains, sewers or

watercourses.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

**Appearance** Colourless liquid Odour No data available Odour threshold No data available Not applicable рΗ Melting point/freezing point ≤ 20 °C Initial boiling point and boiling range 150 °C 40°C Flash point

Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive limits No data available Vapour pressure Not applicable

Vapour density No data available

### AlphaChem Exterior Water Seal



Version: 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS Sì 2019/758

> Relative density 0.78

Solubility(ies) No data available No data available Partition coefficient: n-octanol/water

>200°C Auto-ignition temperature

Decomposition temperature No data available Viscosity No data available Explosive properties No data available Oxidising properties No data available

9.2 Other information None Known

### SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions. **Chemical stability** Stable under normal conditions. 10.2 10.3 Possibility of hazardous reactions Stable under normal conditions.

Conditions to avoid 10.4 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep away from direct sunlight. Extreme temperatures.

10.5 Incompatible materials Strong acids, strong bases.

10.6 Hazardous decomposition products May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon

dioxide, organic and inorganic compounds.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects

> **Acute toxicity - Ingestion** Mixture: Based upon the available data, the classification criteria are not met.

> > Acute Toxicity Estimate Mixture Calculation: LD50 >2,000 mg/kg bw/day. Mixture: Based upon the available data, the classification criteria are not met.

Acute toxicity - Inhalation Acute Toxicity Estimate Mixture Calculation: LD50 >2,000 mg/kg bw/day.

Acute toxicity - Skin contact Mixture: Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: LC50 > 20mg/l (Vapour).

Skin corrosion/irritation Mixture: Based upon the available data, the classification criteria are not met. Serious eye damage/irritation Mixture: Based upon the available data, the classification criteria are not met.

Respiratory or skin sensitisation Mixture: Based upon the available data, the classification criteria are not met. Germ cell mutagenicity Mixture: Based upon the available data, the classification criteria are not met.

Carcinogenicity Mixture: Based upon the available data, the classification criteria are not met. Reproductive toxicity Mixture: Based upon the available data, the classification criteria are not met.

Mixture: STOT SE 3: H336: May cause drowsiness or dizziness. STOT - Single Exposure

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, STOT SE 3: H336: May cause drowsiness or dizziness.

aromatics (2-25%) EU classification and labelling inventory

STOT - Repeated Exposure STOT RE 1: Causes damage to organs through prolonged or repeated exposure.

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, STOT RE 1: Causes damage to organs through prolonged or repeated exposure.

aromatics (2-25%) EU classification and labelling inventory

Aspiration hazard Mixture: Asp. Tox. 1: May be fatal if swallowed and enters airways.

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, Asp. Tox. 1: May be fatal if swallowed and enters airways.

> aromatics (2-25%) Asp. Tox. 1: May be fatal if swallowed and enters airways.

≤1 mm²/sec @ 40 °C (Low boiling point Naphthas) (CONCAWE, 2010)

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties None Known 11.2.2 Other information None known

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 **Toxicity** Mixture: Aquatic Chronic 2; H411: Toxic to aquatic life with long lasting effects.

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, Aquatic Chronic 2; H411: Toxic to aquatic life with long lasting effects.

aromatics (2-25%) EU classification and labelling inventory

### AlphaChem Exterior Water Seal



Version: 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS Sì 2019/758

12.2 Persistence and degradability No data for the mixture as a whole.

> Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, No data available

> > aromatics (2-25%)

12.3 Bioaccumulative potential No data for the mixture as a whole.

> Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, No data available

> > aromatics (2-25%)

12.4 Mobility in soil No data for the mixture as a whole.

> Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, No data available

> > aromatics (2-25%)

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 **Endocrine disrupting properties** This product does not contain a substance that has endocrine disrupting

properties with respect to non-target organisms as no components meets the

criteria.

12.7 Other adverse effects None known

### SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods This material and its container must be disposed of as hazardous waste. Dispose

of wastes in an approved waste disposal facility.

V DVI

EU Waste Codes: HP3 (Flammable), HP5 (Specific Target Organ Toxicity), HP14

IMDG

IATA/ICAO

(Ecotoxic)

VDD/DID

### **SECTION 14: TRANSPORT INFORMATION**

		ADK/KID	ADN	INIDG	IATA/ICAU	
14.1	UN number or ID number	UN 1300	UN 1300	UN 1300	UN 1300	
14.2	UN proper shipping name	TURPENTINE	TURPENTINE	TURPENTINE	TURPENTINE	
		SUBSTITUTE	SUBSTITUTE	SUBSTITUTE	SUBSTITUTE	
14.3	Transport hazard class(es)	3	3	3	3	
14.4	Packing group	III	III	III	III	
14.5	Environmental hazards	DANGEROUS	DANGEROUS	Classified as a	DANGEROUS FOR	
		FOR THE	FOR THE	Marine Pollutant.	THE	
		ENVIRONMENT	ENVIRONMENT		ENVIRONMENT	
14.6	Special precautions for user	See Section: 2				
14.7	Maritime transport in bulk according to IMO	Not applicable				
	instruments					
14.8	Additional information	None				

### SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 **EU** regulations

Authorisations and/or restrictions on use Not restricted

Substance(s) of Very High Concern (SVHCs) This product does not contain any known "substances of very high concern"

(SVHC's)

EU Seveso Directive (2012/18/EU) P5c flammable liquids

E2 Hazardous to the Aquatic Environment in Category Chronic 2

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of

workers from the risks related to chemical agents at work

15.1.2 **National regulations** 

To follow:

**GB** regulations Not restricted

15.2 **Chemical Safety Assessment** A REACH chemical safety assessment has not been carried out.

## AlphaChem Exterior Water Seal



Version: 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS Sì 2019/758

#### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Not applicable – V1.0

#### References:

Existing Safety Data Sheet (SDS) for AlphaChem Exterior Waterseal

Existing ECHA registration(s) for Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (ENO: 919-446-0)

Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830. Compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Classification of the substance or mixture. The retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain	Classification procedure
Flam. Liq. 3; H226	Flash point (°C) / Boiling Point (°C)
STOT SE 3; H336	Threshold Calculation
STOT RE 1; H372	Threshold Calculation
Asp. Tox. 1; H304	Threshold Calculation
Aquatic Chronic 2; H411	Threshold Calculation

Legend

**ADR** ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

**DNEL** Derived no effect level

IATA IATA: International Air Transport Association **ICAO** ICAO: International Civil Aviation Organization **IMDG** IMDG: International Maritime Dangerous Goods

I TFI Long term exposure limit

PBT PBT: Persistent, Bioaccumulative and Toxic

**PNFC** Predicted No Effect Concentration

**REACH** Registration, Evaluation, Authorisation and Restriction of Chemicals

RID RID: Regulations concerning the international railway transport of dangerous goods

STEL Short term exposure limit

vPvB vPvB: very Persistent and very Bioaccumulative

#### Hazard classification / Classification code:

Flam. Liq. 3; Flammable liquid, Category 3 H226: Flammable liquid and vapour.

Asp. Tox. 1; Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters airways.

STOT SE 3; Specific Target Organ Toxicity — Single Exposure, Category H336: May cause drowsiness or dizziness.

STOT RE 1; Specific target organ toxicity — repeated exposure, Category H372: Causes damage to organs through prolonged or repeated exposure.

Aquatic Chronic 2; Hazardous to the aquatic environment, Chronic,

H411: Toxic to aquatic life with long lasting effects. Category 2

EUH066: Repeated exposure may cause skin dryness or cracking.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Hazard Statement(s)

#### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Cromar Building Products gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Cromar Building Products accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

## **AlphaChem Exterior Water Seal**



Version: 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

Exposure scenarios for substances in this preparation are not available.