UNIVERSAL DRY ROT AND WOODWORM KILLER PLUS



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

Version 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

> Product name Universal Dry Rot and Woodworm Killer Plus

Product Code LUDRP/Bulk

Unique Formula Identifier (UFI)

Nanoform The product does not contain nanoparticles.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Solvent based wood treatment active ingredients effective against wood boring

insects

Anything other than the above. Uses advised against

1.3 Details of the supplier of the safety data sheet

Cromar Building Products Limited Company Identification

Units 1,3,4,5 Northside Industrial Park,

Selby Road Whitley Bridge North Yorkshire DN14 0GH United Kingdom

Telephone 01977 663133 E-mail (competent person) sales@cromar.uk.com

1.4 **Emergency telephone number**

> Emergency Phone No. 01977 663133 Office hours (08:30 - 17:00) National Poisons Information Servce (United Kingdom) +44 (0) 3448 920111 24 hr. emergency phone number

> > Healthcare Professionals ONLY

The retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain

Members of Public **NHS 24** 111

Language(s) spoken: English

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008, as

amended for Great Britain

Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

2.2 Label elements

2.1.1

Product name Universal Dry Rot and Woodworm Killer Plus

Contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard Pictogram(s)





Signal Word(s) DANGER

Hazard Statement(s) H304: May be fatal if swallowed and enters airways.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Precautionary Statement(s)

Page: 1 of 9

UNIVERSAL DRY ROT AND WOODWORM KILLER PLUS



Version 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

P331: Do NOT induce vomiting. P273: Avoid release to the environment.

P391: Collect spillage.

Supplemental information EUH208: Contains: Permethrin (ISO), 3-iodo-2-propynyl butylcarbamate,

Propiconazole (ISO) may produce an allergic reaction.

EUH401: To avoid risks to human health and the environment, comply with the

instructions for use.

EUH066: Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards None Known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances - Not applicable

3.2 Mixtures

Classification: The retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain

Chemical identity of the	%W/W	CAS No.	EC No.	UK-REACH	Hazard classification
substance				Registration No.	
Hydrocarbons, C10-C13,				Not yet assigned	
n-alkanes, isoalkanes,	>50 - <100	-	918-481-9	in the supply	Asp. Tox. 1; H304
cyclics, <2% aromatics				chain	
					Acute Tox. 4; H302
	ı	55406-53-6	259-627-5	Not yet assigned in the supply chain	Eye Dam. 1; H318
					Skin Sens. 1; H317
3-iodo-2-propynyl	0.4 <0.5				Acute Tox. 3; H331
butylcarbamate	>0.1 - ≤0.5				STOT RE. 1; H372 (larynx)
					Aquatic Acute 1; H400
					Aquatic Chronic 1; H410
					·
					Acute Tox. 4; H302
				Not yet assigned	Skin Sens. 1; H317
Propiconazole (ISO)	>0.1 - ≤0.5	60207-90-1	262-104-4	in the supply	Repr. 1B; H360D
				chain	Aquatic Acute 1; H400
					Aquatic Chronic 1; H410
					Acute Tox. 4; H302
				Not yet assigned	Skin Sens. 1; H317
Permethrin (ISO)	>0.1 - ≤0.5	52645-53-1	258-067-9	in the supply	Acute Tox. 4; H332
` ′				chain	Aquatic Acute 1; H400
					Aquatic Chronic 1; H410

Specific concentration limit (SCL) & M-factor

Chemical identity of the substance	CAS No.	EC No.	Specific concentration limit (SCL)	M-factor
3-iodo-2-propynyl butylcarbamate	55406-53-6	259-627-5	-	Acute=10 Chronic=1
Propiconazole (ISO)	60207-90-1	262-104-4	-	Acute=1 Chronic=1
Permethrin (ISO)	52645-53-1	258-067-9	-	Acute=1000 Chronic=1000

For full text of H phrases see section 16.

UNIVERSAL DRY ROT AND WOODWORM KILLER PLUS



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

Date of issue: 28/07/2022 Version 1.0

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Skin contact

Eve contact

Ingestion

4.3

Self-protection of the first aider

Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing vapours. Avoid all contact. Contaminated clothing should be laundered before reuse.

Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Apply artificial respiration if breathing has ceased or shows signs of failing. Do not employ mouth-to-mouth

method. Call a POISON CENTER/doctor if you feel unwell.

IF ON SKIN: Remove contaminated clothing and wash all affected areas with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

IF SWALLOWED: Immediately call a POISON CENTER/doctor. If unconscious, place in recovery position and get medical attention immediately. Wash out mouth with water and give small quantities of water to drink. Do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Notes to a physician: IF INHALED: If unconscious, place in recovery position and get medical attention immediately. Administer oxygen if available and artificial respiration if necessary. IF SWALLOWED: Do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

> Suitable extinguishing media Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters Extinguish with carbon dioxide, dry powder, foam, sand or waterspray.

Do not use water jet. Direct water jet may spread the fire.

Not flammable but will support combustion. May decompose in a fire giving off toxic fumes. Combustion products: Oxides of carbon, fume.

Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Caution - spillages may be slippery. Ensure operatives are trained to minimise exposures. Ensure suitable personal protection during removal of spillages. Eliminate sources of ignition. Keep away from heat, hot surfaces, sparks, open

UNIVERSAL DRY ROT AND WOODWORM KILLER PLUS



Version 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

> flames and other ignition sources. No smoking. Avoid all contact. Do not breathe vapour. Do not ingest. If swallowed then seek immediate medical assistance.

> Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Dike area to contain the spill and prevent releases to sewers, drains, or other waterways. Spillages or uncontrolled discharges into soil must be

alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning Provided it is safe to do so, isolate the source of the leak. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for

disposal. Ventilate the area and wash spill site after material pick-up is complete.

See Section: 8, 13

6.4 Reference to other sections

SECTION 7: HANDLING AND STORAGE

Environmental precautions

7.1 Precautions for safe handling Ensure adequate ventilation. Avoid all contact. Do not breathe vapour. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Eliminate sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. See Section: 8.

Keep container tightly closed. Store in a cool/low-temperature, well-ventilated

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature

Incompatible materials Specific end use(s)

(dry) place away from heat and ignition sources.

Keep cool. Protect from sunlight.

Heat and direct sunlight. Keep away from: strong acids and alkali.

See Section: 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational exposure limits

United Kingdom:

7.3

6.2

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
2- methoxymethylethoxy) propanol	34590-94-8	50	308	-	-	Sk

Source: WEL: Workplace Exposure Limit (UK HSE EH40).

Notes: Sk - Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

8.1.2 **Biological limit value** Not established

8.1.3 **PNECs and DNELs** Not established

82 **Exposure controls**

8.2.1 Appropriate engineering controls Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved. Store in a cool/low-temperature, wellventilated (dry) place away from heat and ignition sources. A washing facility/water for eye and skin cleaning purposes should be present. Ground and bond container and receiving equipment. Use non-sparking tools.

8.2.2 Individual protection measures, such as personal protective equipment

Keep good industrial hygiene. Wear appropriate personal protective equipment, avoid direct contact. Do not eat, drink or smoke at the work place. Keep work clothes separately. Always wash hands before smoking, eating and drinking. Do not eat, drink or smoke at the work place. Do not breathe vapour.

Eye/ face protection Wear protective eye glasses for protection against liquid splashes. Wear eye

protection with side protection (EN166).

Page: 4 of 9

UNIVERSAL DRY ROT AND WOODWORM KILLER PLUS



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

Date of issue: 28/07/2022 Version 1.0



Skin protection



Hand protection: Wear impervious gloves. (Recommended: EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Suitable material: Nitrile.

Body protection: Wear suitable coveralls to prevent exposure to the skin.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. A suitable dust mask or dust respirator with filter type A/P may be appropriate. (Recommended: EN14387 / EN405)

A suitable dust mask or dust respirator with filter type A/P may be appropriate.

Thermal hazards

8.2.3 Environmental exposure controls

Avoid release to the environment. Do not allow to enter drains, sewers or

watercourses.

Not applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Pale yellow liquid
Odour Characteristic
Odour threshold No data available
pH No data available
Melting point/freezing point No data available
Initial boiling point and boiling range 175 - 210 °C
Flash point 63 °C

Evaporation rate No data available Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits 0.7 vol % (Lower explosion limit) 6 vol % (Upper explosion limit)

Vapour pressure No data available
Relative vapour density No data available

Density and/or relative density 0.8

Solubility No data available Partition coefficient: n-octanol/water No data available

Auto-ignition temperature 225

Decomposition temperature
Viscosity
No data available
Explosive properties
No data available
Oxidising properties
No data available

9.2 Other information No data available

SECTION 10: STABILITY AND REACTIVITY

Conditions to avoid

Incompatible materials

10.4 10.5

10.1 Reactivity Stable under normal conditions
 10.2 Chemical stability Stable under normal conditions

10.3 Possibility of hazardous reactions Combustible liquid. Vapours are heavier than air and may travel considerable

distances to a source of ignition and flashback.

Heat and direct sunlight. Extreme temperatures

strong acids and alkali.

Page: 5 of 9

UNIVERSAL DRY ROT AND WOODWORM KILLER PLUS



Version 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

10.6 Hazardous decomposition products Not flammable but will support combustion. May decompose in a fire giving off toxic fumes. Combustion products: Oxides of carbon, fume.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Mixture: Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: LD50 >2,000 mg/kg bw/day.

Acute toxicity - Inhalation

Mixture: Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: LC50 > 20mg/l (Vapour).

Acute toxicity - Skin contact Mixture: Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: LD50 >2,000 mg/kg bw/day.

Skin corrosion/irritation
Mixture: Based upon the available data, the classification criteria are not met.

Mixture: Based upon the available data, the classification criteria are not met.

Respiratory or skin sensitisationMixture: Based upon the available data, the classification criteria are not met.

EUH208: Contains: Permethrin (ISO), 3-iodo-2-propynyl butylcarbamate,

Propiconazole (ISO) may produce an allergic reaction.

Germ cell mutagenicity
Mixture: Based upon the available data, the classification criteria are not met.
Carcinogenicity
Mixture: Based upon the available data, the classification criteria are not met.
Reproductive toxicity
Mixture: Based upon the available data, the classification criteria are not met.
STOT - single exposure
Mixture: Based upon the available data, the classification criteria are not met.
STOT - Repeated Exposure
Mixture: Based upon the available data, the classification criteria are not met.

Aspiration hazard Mixture: Asp. Tox. 1: May be fatal if swallowed and enters airways.

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, Asp. Tox. 1; H304: May be fatal if swallowed and enters airways. <2% aromatics Kinematic viscosity: 1,8 mm²/s (@20°C) (ASTM D 7042)

11.2 Other information None Known

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Mixture

Aquatic Acute 1; H400: Very toxic to aquatic life.

Aquatic Chronic 1; H410: Very toxic to aquatic life with long lasting effects.

Aquatic Acute 1; H400: Very toxic to aquatic life. LC50(48 hour) LC50 =0.645 mg/L (Daphnia magna)

3-iodo-2-propynyl butylcarbamate

Aquatic Chronic 1; H410: Very toxic to aquatic life with long lasting effects.

NOEC= 0.00499 mg/L (Daphnia magna) Source: ECHA registration dossier

Aquatic Acute 1; H400: Very toxic to aquatic life.

LC50(96 hour) LC50 =4.3 mg/L Oncorhynchus mykiss (Rainbow trout) (OECD

203)

EC50(48 hour) EC50 =10.2 mg/L (Daphnia magna) (OECD 202)

Propiconazole (ISO)

 $\label{eq:Aquatic Chronic 1; H410: Very toxic to aquatic life with long lasting effects.}$

NOEC (256d) LC50 =0.188 mg/L Pimephales promelas (fathead minnow)

(OECD 229)

NOEC (21d) EC50 =0.37 mg/L (Daphnia magna) (OECD 211)

Source: ECHA registration dossier

Aquatic Acute 1; H400: Very toxic to aquatic life.

Permethrin (ISO) Aquatic Chronic 1; H410: Very toxic to aquatic life with long lasting effects. Source: EU Harmonised Classification, GB CLP – Mandatory classification and

labelling list

12.2 Persistence and degradability

No data for the mixture as a whole.

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, Readily biodegradable.

<2% aromatics

80% Degradation In Water (28 days) (OECD 301 F)

Source: ECHA registration dossier

Source: ECHA registration dossier

3-iodo-2-propynyl butylcarbamate Not readily biodegradable

Page: 6 of 9

12.3

12.4

UNIVERSAL DRY ROT AND WOODWORM KILLER PLUS



Version 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

> Not readily biodegradable (OECD 301B) Propiconazole (ISO) Source: ECHA registration dossier

Not readily biodegradable

Permethrin (ISO) Source: Permethrin Assesment report, 2014

Bioaccumulative potential No data for the mixture as a whole.

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, The substance has low potential for bioaccumulation. < 2% aromatics

Bioconcentration Factor: 144.3 L/kg (Quantitative structure-activity relationship

(QSAR) (Unnamed publication, 2010) 3-iodo-2-propynyl butylcarbamate Low bioaccumulative potential

Source: ECHA registration dossier

Low bioaccumulation potential. Propiconazole (ISO) Bioconcentration factor (BCF) = 180 L/kg (Bluegill sunfish) (OECD 305)

Source: ECHA registration dossier

Low bioaccumulation potential. Permethrin (ISO)

Source: Permethrin Assesment report, 2014

Mobility in soil No data for the mixture as a whole.

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, The product is predicted to have low mobility in soil.

< 2% aromatics LogKoc: 4.16 (Quantitative structure-activity relationship (QSAR) (Unnamed

publication, 2010) Moderately mobile

3-iodo-2-propynyl butylcarbamate Source: ECHA registration dossier

Moderately mobile

Propiconazole (ISO) Source: ECHA registration dossier

Moderately mobile Permethrin (ISO)

Source: Permethrin Assesment report, 2014

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Under assessment as Endocrine Disrupting: 3-iodo-2-propynyl butylcarbamate, 12.6 Other adverse effects

Propiconazole (ISO)

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods This material and its container must be disposed of as hazardous waste. Handle

contaminated packages in the same way as the substance itself. Dispose of

IATA/ICAO

wastes in an approved waste disposal facility.

IMDG

13.2 Additional information None Known

SECTION 14: TRANSPORT INFORMATION

14.1	UN number	3082	3082	3082
14.2	UN proper shipping name	Environmentally	Environmentally	Environmentally
		hazardous substance,	hazardous substance,	hazardous substance,
		liquid, N.O.S. (3-IODO-2-	liquid, N.O.S. (3-IODO-2-	liquid, N.O.S. (3-IODO-2-
		PROPYNYL	PROPYNYL	PROPYNYL
		BUTYLCARBAMATE;	BUTYLCARBAMATE;	BUTYLCARBAMATE;
		PROPICONAZOLE		
		(ISO);		
		PERMETHRIN (ISO))		

ADR/RID

14.3 Transport hazard class(es) 9 9 9 14.4 Packing group Ш Ш

14.5 **Environmental hazards** Environmentally Classified as a Marine Environmentally hazardous Pollutant. hazardous

14.6 Special precautions for user See Section: 2

14.7 Transport in bulk according to Annex II of Marpol IBC03

and the IBC Code

Page: 7 of 9

UNIVERSAL DRY ROT AND WOODWORM KILLER PLUS



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

Date of issue: 28/07/2022 Version 1.0

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Plant protection products

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-

Directive]

GB regulations

Grandfathered registrations notified substances list GB CLP – Mandatory classification and labelling list

15.1.2 National regulations

15.2 Chemical Safety Assessment

Not restricted for the intended use(s) of the product.

Regulation (EC) No. 1107/2009 (Plant Protection Products) E1

All chemicals are not listed

Listed: Permethrin (ISO); Propiconazole (ISO)

Not restricted

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Not applicable - V1.0

References:

Existing ECHA registration(s) for Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics; 3-iodo-2-propynyl butylcarbamate; Propiconazole (ISO)

Harmonised Classification(s) for Permethrin (ISO); Propiconazole (ISO)

Existing Safety Data Sheet (SDS)

Literature reference:

 Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products. Assessment Report Permethrin PT18 (2014)

Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830. Compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Classification of the substance or mixture. The retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain	Classification procedure
Asp. Tox. 1; H304	Threshold Calculation
Aquatic Acute 1; H400	Summation Calculation
Aquatic Chronic 1; H410	Summation Calculation
EUH066: Repeated exposure may cause skin dryness or	
cracking.	

Legend

ADR ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL Derived no effect level

IATA IATA: International Air Transport Association
ICAO ICAO: International Civil Aviation Organization
IMDG IMDG: International Maritime Dangerous Goods

LTEL Long term exposure limit

PBT PBT: Persistent, Bioaccumulative and Toxic

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID RID: Regulations concerning the international railway transport of dangerous goods

STEL Short term exposure limit

Acute Tox. 4; Acute Toxicity, Category 4

vPvB vPvB: very Persistent and very Bioaccumulative

Hazard classification / Classification code:

Hazard Statement(s)

H302: Harmful if swallowed.

UNIVERSAL DRY ROT AND WOODWORM KILLER PLUS



Version 1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758

H304: May be fatal if swallowed and enters airways.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H372: Causes damage to organs through prolonged or repeated

exposure.

H360D: May damage the unborn child.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

EUH066: Repeated exposure may cause skin dryness or cracking.

Asp. Tox. 1; Aspiration hazard, Category 1 Skin Sens. 1A; Skin Sensitisation, Category 1A Eye Dam. 1; Eye Damage, Category 1 Acute Tox. 3; Acute Toxicity, Category 3 STOT RE 1; Specific target organ toxicity — repeated exposure, Category

Repr. 1B; Reproductive toxicity, Category 1B

Aquatic Acute 1; Hazardous to the aquatic environment, Acute, Category

Aquatic Chronic 1; Hazardous to the aquatic environment, Chronic,

Category 1

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Cromar Building Products gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Cromar Building Products accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Exposure scenarios for substances in this preparation are not available.

Page: 9 of 9